

**ADVISED VETERINARY PROTOCOL  
Horse in training, 2yo, Store, Maiden**

<b>MINIMUM REQUIRED VIEWS (36 views)</b>	
<b>TAKEN LESS THAN 30 DAYS BEFORE THE SALES</b>	
<b>FRONT FETLOCK</b>	
<input type="checkbox"/>	AP elevated 15° (Dorsal, 15 elevated, to palmar)
<input type="checkbox"/>	Lateral (Flexed lateral to medial)
<input type="checkbox"/>	Medial Oblique (Dorsomedial 30°, to palmar lateral Oblique)
<input type="checkbox"/>	Lateral Oblique (Dorsolateral 30°, to palmar medial Oblique)
<b>HIND FETLOCK</b>	
<input type="checkbox"/>	AP elevated 15° (Dorsal, 15 elevated, to palmar)
<input type="checkbox"/>	Medial Oblique (Dorsomedial 30°, 15° elevated to plantar lateral oblique)
<input type="checkbox"/>	Lateral Oblique (Dorsolateral 30°, 15° to palmar medial oblique)
<input type="checkbox"/>	Standing Lateral to medial
<b>CARPUS</b>	
<input type="checkbox"/>	Flexed Lateral (Flexed lateral to medial)
<input type="checkbox"/>	Lateral/Medial Oblique (30° - 40°) (Dorsolateral 35°, to palmar medial oblique)
<input type="checkbox"/>	Medial/Lateral Oblique (20° - 30°) (Dorsomedial 25°, to palmar lateral oblique)
<input type="checkbox"/>	Third Carpal Skyline View
<b>HOCK</b>	
<input type="checkbox"/>	off Center Ap
<input type="checkbox"/>	Lateral to Medial
<input type="checkbox"/>	Medial Oblique (or 15° PALMO) (Dorsomedial 65° to plantar lateral oblique or Plantaro-lateral 25° todorsomedial oblique)
<input type="checkbox"/>	Lateral Oblique (dorsolateral oblique 65° to Plantar medial)
<b>STIFLE</b>	
<input type="checkbox"/>	PA (Posterior/Anterior)
<input type="checkbox"/>	Lateral to Medial

**+ Larynx endoscopic video**